



MITIGATION PLANTING

Native evergreen specimens are to be planted within both areas labeled 'Planting Mitigation'.
 80% of these specimens must reach a minimum mature height of 4m within six years.
 This species mix allows for infill and lower specimens to fill in the understory (such as flax).
 The 4m strips will contain 3 lines of planting (widening out to the south near the road).
 Specimens are to be planted at a maximum of 1m centres.
 No specimens to be planted over the easement.

Planting to be a mix of (a minimum seven species) from the following list:

- | | |
|--------------------------------|--------------------------|
| <i>Phormium cookianum</i> | Mountain Flax, Wharariki |
| <i>Phormium tenax</i> | Flax, Harakeke |
| <i>Cordyline australis</i> | Cabbage tree, Ti kouka |
| <i>Griselinia littoralis</i> | Broadleaf |
| <i>Chamaecytisus palmensis</i> | Tree lucerne |
| <i>Prumnopitys ferruginea</i> | Miro |
| <i>Vitex lucens</i> | Puriri |
| <i>Leptospermum scoparium</i> | Manuka |
| <i>Weinmannia racemosa</i> | Kamahi |
| <i>Pseudopanax arboreus</i> | Five-Finger |
| <i>Pittosporum tenuifolium</i> | Kohuhu |
| <i>Pittosporum eugenioides</i> | Lemonwood, Tarata |

One additional area of planting is to extend to the south of the driveway entry as a single row of specimen trees, 6 m long to screen driveway headlights from the road. Specimens to be *Griselinia littoralis* and maintained at a height no lower than 3m - (Area marked 'A' on the plan above)

